

Submersible Pump

BIA-AHS05A-700282 BIA-AHS10A-700301





Installation & Operating Instructions

BIANCO AHS range of submersible pumps is suitable for pumping ground or storm water from residential, commercial and building sites, as well as decorative waterfalls and fountains. Bianco AHS range of pumps are fitted with semi-vortex, eurethane coated impeller plus agitator and eurethane strainer to resist damage when pumping abrasive particles in certain applications.

Submersible pumps are very quiet and are ideal for applications within residential areas for storm water pits, basements, etc.

Voltage: 240V 50Hz Single Phase

Pumps should never be used to pump flammable or corrosive fluids.

Suitable Fluids

This pump is designed to pump waste water, clean water and water containing mild pollutants at ambient temperatures.

Installation

Never remove or lift a pump by its power cable. A rope or lifting chain must be attached to the handle of the pump at the time of installation. Automatic pumps with a float switch should be installed in a sump or pit of suitable size for the float switches to operate correctly. The float switch must be installed so the ON and OFF operating points can be easily reached i.e. the float switch head must not be too close to the latching holder. The float switch must also not touch the base of the sump or pit which could prevent the pump from switching off and causing it to run dry.

No pump should be allowed to run dry.

The BIANCO AHS pumps are completely submersible up to 8 meters and can be installed on a level surface in a stationary position connected to either fixed pipe work or flexible hose.

Motor Cooling

The BIANCO AHS series pump rely on pit water for cooling of the motor. The pumps can operate partially submerged for up to 10 minutes. Operating these pumps at very low flow i.e. high head or restricted pipework may cause the motor to overheat and could cause catastrophic failure.

Power Connection

A Power point (10amp) should be provided by a qualified electrician, and a residual current device with a nominal trip current should be installed in compliance with the requirements of AS 3000. All single phase models have automatic reset thermal overload protection built in. This thermal overload will switch the motor off in an overload situation and will automatically reset when the motor has cooled down.

This pump must not be used by children or infirm persons to prevent potential injury. The electricity supply must always be switched off prior to handling the pump. Failure to do so could result in injury.

If the supply cord is damaged, the pump should be returned to White International or one of its Authorized Service Agents (list available on request) for repair in order to avoid potential injury / electrical shock.


Trouble Shooting

Fault	Cause	Remedy
Pump does not start		Check that power is available at the
	No mains supply	power socket and that it is switched on
	Blown fuse or tripped breaker	Replace fuse or reset breaker
		Disconnect power and clean impeller
	Impeller jammed	area
	Thermal overload has been	
	activated	Allow the switch to reset itself
		Free the float switch and change the
	Float switch is in the down/off	position of the pump to prevent this in
	position	future
		Float switch must be in the up/on
	Insufficient water level	position (45° above horizontal)
No or low flow debris Damage caused by abra media	Strainer or impeller blocked by	Disconnect from power and
	debris	clean impeller area
	Damage caused by abrasive	Pump may need to be serviced to
		replace worn parts
	Excessive friction loss or high	Reassess if the pipe size and pump is
	delivery head	suitable for the application
Pump does not stop		Free the float switch and change the
	Float switch is in the up/on	position of the pump to prevent this in
	position	future
		Pump may need to be serviced to
	Possible faulty float switch	replace faulty part
Pump switches off after short period	Thermal overload has been activated	Disconnect power and make sure
		impeller is not clogged
		Ensure water temperature is below
		40°C
		Check the length of the power supply
		cable/extension. Possible voltage drop
		-
		1
		over long distance Ensure the pump is not operating at a very low flow or very high head



White International Pty Ltd Limited Product Warranties

TERMS & CONDITIONS



- 1) White International Pty Ltd / White International NZ Ltd (White International) warrant that all products distributed are free from defects in workmanship and materials, for their provided warranty period as indicated on the top or opposite side of this document. Subject to the conditions of the warranty, White International will repair any defective products free of charge at the premises of our authorised service agents throughout Australia and New Zealand if a defect in the product appears during the warranty period. If you believe that you have purchased a defective product and wish to make a claim under this warranty, contact us on our Sales Hotline on 1300 783 601, or send your claim to our postal address or fax line below and we will advise you as to how next to proceed. You will be required to supply a copy of your proof of purchase to make a claim under this warranty.
- This warranty excludes transportation costs to and from White International or its appointed service agents and excludes defects due to non-compliance with installation instructions, neglect or misuse, inadequate protection against the elements, low voltage or use or operation for purposes other than those for which they were designed. For further information regarding the suitability of your intended application contact us on our Sales Hotline on 1300 783 601. If you make an invalid claim under this warranty, the original product will be sent back to you unrepaired.
- This warranty refers only to products sold after the 1st January 2012, and is not transferable to another product type and only applies to the original owner, purchaser or end user, and is in addition to the consumer guarantees found within the Competition and Consumer Act 2010 (Cth) for goods purchased in Australia and the Consumer Guarantees Act 1993 (NZ) for goods purchased in New Zealand.
- 4) Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.
- To the fullest extent permitted by law, White International excludes its liability for all other conditions or warranties which would or might otherwise be implied at law. To the fullest extent permitted by law, White International's liability under this warranty and any other conditions, guarantees or warranties at law that cannot be excluded, including those in the Competition and Consumer Act 2010 (Cth), is expressly limited to:
 - (a) in the case of products, the replacement of the product or the supply of equivalent product, the payment of the cost of replacing the product or of acquiring an equivalent product or the repair of the product or payment of the cost of having the product repaired, is at the discretion of White International or a 3rd party tribunal elected under the Competition and Consumer Act 2010 (Cth) for goods purchased in Australia and the Consumer Guarantees Act 1993 (NZ) for goods purchased in New Zealand; and
- To the fullest extent permitted by law, this warranty supersedes all other warranties attached to the product or its packaging.
- 7) In the case of services, supplying the services again or the payment of the cost of having the services supplied again, is at the discretion of White International or a 3rd party tribunal elected under the Competition and Consumer At 2010 (Cth) for goods purchased in Australia and the Consumer Guarantees Act 1993 (NZ) for goods purchased in New Zealand.
- 8) Our warranty commences from the date of purchase of the above mentioned pumps. Proof of purchase is required before consideration under warranty is given. Record your date of purchase in the space below and retain this copy for your records.

Data of Dumahasa	Model Purchased	
Jare of Purchase	Wingel Purchasen	



WHITE INTERNATIONAL PTY LTD

ABN 48 000119380 60 Ashford Ave, MILPERRA NSW 2214 PO BOX 304, MILPERRA LPO NSW 2214 Ph: 02 9783 6000 Fax: 02 9783 6001 Customer Service Hotline: 1300 783 601 Customer Service Faxline: 02 9783 6001 EMAIL: pumpsales@whiteint.com.au WHITE INTERNATIONAL NZ LTD

15G Kerwyn Avenue, EAST TAMAKI, AUCKLAND, NZ PO BOX 12704, PENROSE, AUCKLAND Ph: 09 579 977 Fax: 09 579 7775 Customer Service Hotline: 0800 509 506 Customer Service Faxline: 0800 804 344 EMAIL: sales@whiteint.co.nz