

**GENERAL INFO**
**HIGH CAPACITY FILTER HOUSING**

## MaxiPlus™ Filter Housings

The Puretec MaxiPlus™ filter housings offer the versatility to meet all of your large-capacity filtration needs, including high-flow and heavy sediment applications. The extra large housings allows for greater cartridge capacity, reducing the number of vessels required for high flow-rate applications. Sumps are constructed of durable reinforced polypropylene and are available in both 10" and 20" lengths.

The Puretec MaxiPlus™ housings are compatible with a broad range of chemicals. They accept a wide variety of 4.5" diameter cartridges in either 10" or 20" lengths.

**FEATURES & BENEFITS**

- High capacity filter housings for flow rates up to 180 Lpm
- Features double O-ring seals for maximum durability
- Ribbed design provides a robust housing for years of troublefree service
- Compact and economical, ideal for duplex systems
- Wide variety of cartridge replacement available
- Available in 10", 20" heights and connection sizes of 1", 1½".
- Internal and external use to suit different applications
- UV stabilised
- 10 Year Warranty^


**MP100**

 10", 1" connection  
 MaxiPlus Housing

**MP400**

 20", 1½" connection  
 MaxiPlus Housing


**HOUSING SPECIFICATIONS AND PERFORMANCE DATA**

Model Numbers	Size inches	Connection	Description	Flow (Lpm)	Min/Max Pressure	Dimensions
<b>MP100</b>	10"	1" (25 mm)	Filter housing with grey bowl	80	0 - 875* kPa	343 mm x 185 mm
<b>MP100B</b>	10"	1" (25 mm)	Filter housing kit with grey bowl <i>Includes spanner wrench and mounting bracket</i>	80	0 - 875* kPa	343 mm x 185 mm
<b>MP200B</b>	10"	1½" (40 mm)	Filter housing kit with grey bowl <i>Includes spanner wrench and mounting bracket</i>	85	0 - 875* kPa	353 mm x 185 mm
<b>MP200</b>	10"	1½" (40 mm)	Filter housing with grey bowl	85	0 - 875* kPa	353 mm x 185 mm
<b>MP300B</b>	20"	1" (25 mm)	Filter housing kit with grey bowl <i>Includes spanner wrench and mounting bracket</i>	160	0 - 875* kPa	604 mm x 185 mm
<b>MP300</b>	20"	1" (25 mm)	Filter housing with grey bowl	160	0 - 875* kPa	604 mm x 185 mm
<b>MP400</b>	20"	1½" (40 mm)	Filter housing with grey bowl	180	0 - 875* kPa	613 mm x 185 mm
<b>MP400B</b>	20"	1½" (40 mm)	Filter housing kit with grey bowl <i>Includes spanner wrench and mounting bracket</i>	180	0 - 875* kPa	613 mm x 185 mm


^10 year warranty is 1 year parts and labour, plus 9 years parts only. Pressure + Temperature ratings mean housings must be protected from extremes above and below. This includes freezing, vacuum, overnight pressure creep + water hammer. \*Where line pressure exceeds 500 kPa, an approved pressure limiting device must be installed to comply with Australian & New Zealand Plumbing Standards. (Ref. AS/NZS 3500.1:2021, Clause 3.3.4).

For more information contact your local stockist or visit us at [puretecgroupp.com](https://puretecgroupp.com)  
 Australia **1300 140 140** | New Zealand **0800 130 140**

**PRODUCT DIMENSIONS** Measurements in Millimeters (mm)



**PRESSURE / FLOW RATE CHART**



**MATERIALS OF CONSTRUCTION**

- |                       |  |
|-----------------------|--|
| • Housing             | Polypropylene                                      |
| • Cap                 | Polypropylene (HFPP)                               |
| • Button Assembly     | 300-series Stainless Steel, EPDM and Polypropylene |
| • O-Ring              | Buna-N   |
| • Maximum Temperature | 52°C   |
| • Maximum Pressure    | 875* kPa   |
| • Colour              | Black head / Grey bowl                             |

**HOUSING SPARE PARTS**


MPBK-G



MPBK2-G



MPOR-G



MPSP-G



CS02

Ordering Code	Description
<b>MPBK-G</b>	Single housing bracket, suits MP series housings
<b>MPBK2-G</b>	Twin housing bracket, suits 2x MP series housings
<b>MPOR-G</b>	O-rings, suits Grey MaxiPlus™ series housings (2x O-rings included)
<b>MPOR-SQ</b>	Square seal, suits old blue style MaxiPlus™ series housings
<b>MPSP-G</b>	Spanner, suits MP series housings
<b>CS02</b>	Joins two MaxiPlus 4.5" diameter cartridges


**WaterMark**

 AS/NZS 3497  
 Licence No. WM 74617  
 Australian Certification Services

**Note:**

1. No claims can be made based on the specifications and images in this document. The design, technology, colours, features and prices are subject to change.
2. This document and all its contents are copyright protected. All rights are reserved, particularly alteration, translation and reproduction using electronic systems.
3. ^Warranties in this document cover parts for the period stated and include cover for parts and labour for the first year where applicable, subject to approval. Our Water Filtration Specialists can provide you with advice to suit your needs.