

IAPMO R&T OCEANA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia



IAPMO R&T Oceana is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceana of the product acceptance by Authorities Having Jurisdiction.

CERTIFICATE OF CONFORMITY

IAPMO R&T Oceana hereby grants to:

Atlas Filtri s.r.l

Via Pierobon, 32, Limena, PD 35010 Italy

the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme;– Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity – Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceana's WaterMark Governance Rules.

Evaluated to:

AS/NZS 3497-1998 (Inc Amdt 1)

Drinking water treatment units-Plumbing requirements

Manufacturer:

Refer to Licence Holder

Licence No.: WM-022909

First Certified: 7 April 2020

Certification Date: 28 May 2021

Expiry Date: 6 April 2025


CEO, The IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceana, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO R&T Oceana. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."



WATERMARK CERTIFICATE OF CONFORMITY

SCHEDULE OF CERTIFIED PRODUCT



Certificate Holder
Atlas Filtri s.r.l

A.B.N.:
Via Pierobon, 32, Limena, PD 35010 Italy

Manufacturer
Refer to Licence Holder

Standard
AS/NZS 3497-1998 (Inc Amdt 1)
Drinking water treatment units-Plumbing requirements

Licence No. WM-022909

Certification Date: 28 May 2021

Expiry Date: 6 April 2025

First Certified: 7 April 2020

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Classification	Operating Pressure	Operating Temperature	Flow Rate
Rain Harvesting	TRIPLE ACTION FILTRATION SYSTEM 10" SLIM	WFRW11	Water filters and water treatment appliances	10" triple action filtration system (Slim)	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5000 l/hour MAX
Rain Harvesting	TRIPLE ACTION FILTRATION SYSTEM 20" SLIM	WFRW12	Water filters and water treatment appliances	20" triple action filtration system (Slim)	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5000 l/hour MAX
Rain Harvesting	TRIPLE ACTION FILTRATION SYSTEM 10" LARGE	WFRW13	Water filters and water treatment appliances	10" triple action filtration system (Large)	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5700 l/hour MAX
Rain Harvesting	TRIPLE ACTION FILTRATION SYSTEM 20" LARGE	WFRW14	Water filters and water treatment appliances	20" triple action filtration system (Large)	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5700 l/hour MAX
Rain Harvesting	WHOLE HOUSE TWO-STAGE FILTRATION SYSTEM 10" LARGE	WFRW21	Water filters and water treatment appliances	Whole house two stage filtration system	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5700 l/hour MAX
Rain Harvesting	WHOLE HOUSE TWO-STAGE FILTRATION SYSTEM 20" LARGE	WFRW22	Water filters and water treatment appliances	Whole house two stage filtration system	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5700 l/hour MAX
Rain Harvesting	WHOLE HOUSE SELF-CLEANING TWO-STAGE FILTRATION SYSTEM 10" SLIM	WFRW23	Water filters and water treatment appliances	10" Whole house self-cleaning two stage filtration system	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5000 l/hour MAX
Rain Harvesting	WHOLE HOUSE SELF-CLEANING THREE-STAGE FILTRATION SYSTEM 10" SLIM	WFRW31	Water filters and water treatment appliances	10" Whole house self-cleaning three stage filtration system	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5000 l/hour MAX
Rain Harvesting	MULTI-ACTION FILTER CARTRIDGE 10" SLIM	WFRC11	Water filters and water treatment appliances	10" Multi-Action Filter Slim Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	240 l/hour
Rain Harvesting	MULTI-ACTION FILTER CARTRIDGE 20" SLIM	WFRC12	Water filters and water treatment appliances	20" Multi-Action Filter Slim Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	450 l/hour

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Classification	Operating Pressure	Operating Temperature	Flow Rate
Rain Harvesting	MULTI-ACTION FILTER CARTRIDGE 10" LARGE	WFRC13	Water filters and water treatment appliances	10" Multi-Action Filter Large Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	720 l/hour
Rain Harvesting	MULTI-ACTION FILTER CARTRIDGE 20" LARGE	WFRC14	Water filters and water treatment appliances	20" Multi-Action Filter Large Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	1620 l/hour
Rain Harvesting	TRIPLE ACTION GAC Filter cartridge 10" SLIM	WFRC21	Water filters and water treatment appliances	10" Triple Action GAC Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	600 l/hour
Rain Harvesting	TRIPLE ACTION GAC Filter cartridge 20" SLIM	WFRC22	Water filters and water treatment appliances	20" Triple Action GAC Cartridge	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	1200 l/hour
Rain Harvesting	HEAVY-DUTY SEDIMENT CARTRIDGE 10" SLIM	WFRC31	Water filters and water treatment appliances	10" Heavy-Duty Sediment Cartridge (Slim)	Replacement cartridge	N/A	Particulate removal	N/A	from 4 to 45°C	2000 l/hour
Rain Harvesting	HEAVY-DUTY SEDIMENT CARTRIDGE 20" SLIM	WFRC32	Water filters and water treatment appliances	20" Heavy-Duty Sediment Cartridge (Slim)	Replacement cartridge	N/A	Particulate removal	N/A	from 4 to 45°C	3000 l/hour
Rain Harvesting	HEAVY-DUTY SEDIMENT CARTRIDGE 10" LARGE	WFRC33	Water filters and water treatment appliances	10" Heavy-Duty Sediment Cartridge (Large)	Replacement cartridge	N/A	Particulate removal	N/A	from 4 to 45°C	2500 l/hour
Rain Harvesting	HEAVY-DUTY SEDIMENT CARTRIDGE 20" LARGE	WFRC34	Water filters and water treatment appliances	20" Heavy-Duty Sediment Cartridge (Large)	Replacement cartridge	N/A	Particulate removal	N/A	from 4 to 45°C	4000 l/hour
Atlas Filtri	BIG F PRO	156	Water filters and water treatment appliances	10" twin stage filtration system with 56W UV lamp	POE filter system	1" BSP	Particulate removal	1205 kPa 175 psi MAX	from 4 to 45°C	3240 l/hour
Atlas Filtri	BIG F PRO	256	Water filters and water treatment appliances	20" twin stage filtration system with 56W UV lamp	POE filter system	1" BSP	Particulate removal	1205 kPa 175 psi MAX	from 4 to 45°C	4200 l/hour
Atlas Filtri	BIG F PRO	267	Water filters and water treatment appliances	20" twin stage filtration system with 67W UV lamp	POE filter system	1" BSP	Particulate removal	1205 kPa 175 psi MAX	from 4 to 45°C	5700 l/hour
Atlas Filtri	TS 10 BIG SX cartridge	RA5045	Water filters and water treatment appliances	10" replacement cartridge - Pleated	Replacement cartridge	N/A	Particulate removal	1205 kPa 175 psi MAX	from 4 to 45°C	3240 l/hour
Atlas Filtri	CPP 10 BIG SX cartridge	RE57066	Water filters and water treatment appliances	10" replacement cartridge - Polyspun meltblown	Replacement cartridge	N/A	Particulate removal	1205 kPa 175 psi MAX	from 4 to 45°C	3240 l/hour
Atlas Filtri	TS 20 BIG SX Cartridge	RA5047	Water filters and water treatment appliances	20" replacement cartridge - Pleated	Replacement cartridge	N/A	Particulate removal	1205 kPa 175 psi MAX	from 4 to 45°C	5700 l/hour
Atlas Filtri	CPP 20 BIG SX cartridge	RE57069	Water filters and water treatment appliances	20" replacement cartridge - Polyspun meltblown	Replacement cartridge	N/A	Particulate removal	1205 kPa 175 psi MAX	from 4 to 45°C	5700 l/hour
Atlas Filtri	N/A	SENIOR PLUS 3P with FA CA	Water filters and water treatment appliances	10" x2,5" filtration unit VOC, CTO and sediment reduction	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5000 l/hour MAX
Atlas Filtri	N/A	MASTER PLUS 3P with FA CA	Water filters and water treatment appliances	20"x2,5" filtration unit VOC, CTO and sediment reduction	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5000 l/hour MAX
Atlas Filtri	N/A	DP BIG 10 MONO with CB EC	Water filters and water treatment appliances	10"x4,5" filtration unit VOC, CTO and sediment reduction	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5700 l/hour MAX
Atlas Filtri	N/A	DP BIG 20 MONO with CBEC	Water filters and water treatment appliances	20"x4,5" filtration unit VOC, CTO and sediment reduction	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5700 l/hour MAX
Atlas Filtri	N/A	DP BIG 10 DUO with FA and CB EC	Water filters and water treatment appliances	10"x4,5" two stage filtration unit VOC, CTO and sediment reduction	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5700 l/hour MAX

Brand Name	Model Name	Model ID	Product Type	Product Description	Application	Inlet/Outlet	Classification	Operating Pressure	Operating Temperature	Flow Rate
Atlas Filtri	N/A	DP BIG 20 DUO with FA and CB EC	Water filters and water treatment appliances	20"x4,5" two stage filtration unit VOC, CTO and sediment reduction	POE filter system	1" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5700 l/hour MAX
Atlas Filtri	N/A	HYDRA DUO with CB EC	Water filters and water treatment appliances	10"x2,5" two stage self cleaning filtration unit VOC, CTO and sediment reduction	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5000 l/hour MAX
Atlas Filtri	N/A	HYDRA TRIO with FA and CB EC	Water filters and water treatment appliances	10"x2,5" three stage Self cleaning filtration unit VOC, CTO and sediment reduction	POE filter system	3/4" BSP	Particulate removal, chlorine, taste and odour reduction	1205 kPa 175 psi MAX	from 4 to 45°C	5000 l/hour MAX
Atlas Filtri	N/A	CB EC 10	Water filters and water treatment appliances	Carbon block cartridge - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	240 l/hour
Atlas Filtri	N/A	CB EC 20	Water filters and water treatment appliances	Carbon block cartridge - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	450 l/hour
Atlas Filtri	N/A	CB EC 10 BIG	Water filters and water treatment appliances	Carbon block cartridge - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	720 l/hour
Atlas Filtri	N/A	CB EC 20 BIG	Water filters and water treatment appliances	Carbon block cartridge - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	1620 l/hour
Atlas Filtri	N/A	FA 10 CA	Water filters and water treatment appliances	Granular carbon and PP yarn layer - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	600 l/hour
Atlas Filtri	N/A	FA 20 CA	Water filters and water treatment appliances	Granular carbon and PP yarn layer - VOC, CTO and sediment reduction	Replacement cartridge	N/A	Particulate removal, chlorine, taste and odour reduction	N/A	from 4 to 45°C	1200 l/hour
Atlas Filtri	N/A	FA 10	Water filters and water treatment appliances	PP yarn layer - Sediment reduction	Replacement cartridge	N/A	Particulate removal	N/A	from 4 to 45°C	2000 l/hour
Atlas Filtri	N/A	FA 20	Water filters and water treatment appliances	PP yarn layer - Sediment reduction	Replacement cartridge	N/A	Particulate removal	N/A	from 4 to 45°C	3000 l/hour
Atlas Filtri	N/A	FA 10 BIG	Water filters and water treatment appliances	PP yarn layer - Sediment reduction	Replacement cartridge	N/A	Particulate removal	N/A	from 4 to 45°C	2500 l/hour
Atlas Filtri	N/A	FA 20 BIG	Water filters and water treatment appliances	PP yarn layer - Sediment reduction	Replacement cartridge	N/A	Particulate removal	N/A	from 4 to 45°C	4000 l/hour

END RECORD

END RECORD


 CEO, The IAPMO Group