



Australian Made Rural Water Tanks

ZINCALUME® and COLORBOND®
26,000L–365,000L

Build your 3D tank online.



1800 632 410

kingspanwatertanks.com.au

 **Kingspan** **WATER TANKS**

Rural Corrugated and Streamline steel tanks

Kingspan tanks range are built tough in genuine BlueScope Steel to suit the harsh Australian conditions. Available in ZINCALUME® or in the full range of genuine COLORBOND® colours, all tanks come with a unique 7 layer liner making them ideal for rural applications. Tanks are Australian made and come with a 20 year conditional warranty.

Tank sizes



Kingspan Rhino Corrugated tanks range from 26,000L - 365,000L.

Model	Capacity for 2.2m high tanks*		Tank Diameter	Pad Diameter
	Litres	Gallons		
RT-25	26,062	5,792	3.88	5.5
RT-40	40,723	9,049	4.85	6.5
RT-60	58,640	13,031	5.82	7.5
RT-80	79,816	17,737	6.79	8.5
RT-100	104,250	23,167	7.76	9.5
RT-130	131,941	29,320	8.73	10.5
RT-160	162,890	36,198	9.71	11.5
RT-200	197,097	43,799	10.68	12.5
RT-230	234,562	52,125	11.65	13.5
RT-275	275,284	61,174	12.62	14.5
RT-310*	309,235	68,710	11.65m (2.9m h)	13.5
RT-365*	362,979	80,639	12.62m (2.9m h)	14.5



NOTE: Sizes listed are gross capacities. Effective capacities vary depending on the size and position of inlets and outlets.

*RT-310 and RT-365 are 2.9m high

Standard Inclusions

Aquamark tank liner, full COLORBOND® range*, BlueScope steel corrugated wall and roof sheets, tank inlet, 50mm outlet and ball valve, removable internal/external ladder, lockable access hatch, 100mm bell mouth overflow, magnesium anodes for corrosion protection, Hiflow Deep Leaf Basket and 20 year conditional warranty.

*not all colours are available in the Heritage range. Contact Kingspan for more information.

Optional Extras

Tank level gauge, dust and vermin proofing seal, additional outlets, inlets and valves, firefighting outlets, 150mm bell mouth overflows, 50mm scour drain, and more!



1800 632 410

kingspanwatertanks.com.au



Tank sizes



Kingspan Heritage Corrugated and Streamline tanks range from 27,000L - 353,000L.



Corrugated profile

Tank code	Litres	Height	Diameter
CT6	27,396	2.27	3.92
CT9	39,383	2.27	4.70
CT12	53,735	2.27	5.49
CT15	69,866	2.27	6.26
CT20	88,864	2.27	7.06
CT25	109,584	2.27	7.84
CT30	132,781	2.27	8.63
CT35	157,868	2.27	9.41
CT41	184,761	2.27	10.18
CT48	215,333	2.27	10.99
CT54	246,984	2.27	11.77
CT60	280,804	2.27	12.55
CT70	315,843	2.27	13.31
CT80	353,947	2.27	14.09

Streamline profile

Tank code	Litres	Height	Diameter
HGT55	54,682	2.31	5.49
HGT75	71,097	2.31	6.26
HGT90	90,430	2.31	7.06
HGT110	111,515	2.31	7.84
HGT135	135,121	2.31	8.63
HGT160	160,650	2.31	9.41
HGT188	188,017	2.31	10.18
HGT220	219,128	2.31	10.99
HGT250	251,336	2.31	11.77
HGT285	285,752	2.31	12.55

Reinforced high durable Aquamark® liner


Our tank liners are fabricated in our Australian factory and have been for over 20 years.

Our experienced liner fabricators use the latest welding technologies and state of the art machinery to produce liners of the very highest quality.

The Aquamark® Liner features a unique 7 layer construction which offers durability, flexibility and strength.

Once installed, you'll enjoy many years of trouble-free usage.

- Proudly Australian made
- Water potable certified (AS/NZS4020)
- Made to withstand harsh conditions
- Temperature range: -40°C to +70°C
- Polypropylene coating applied for superior resistance to flex cracking
- Chemical and stress crack resistant
- BPA free
- 100% Lead and Phthalate free
- 100% recyclable material



1800 632 410

kingspanwatertanks.com.au



Colour Range

Colorbond®

Our tanks come in the full range of genuine Bluescope COLORBOND® colours*.



The colors displayed have been reproduced to represent COLORBOND® colour swatches as accurately as possible.

*not all colours are available in the Heritage range. Contact Kingspan for more information.

How many litres of water can you harvest per year?

Use this formula to calculate how much rainwater you can harvest from your roof (catchment area)

Catchment Area		Annual Rainfall		Total Rainwater Harvested
<input type="text" value=""/>	\times	<input type="text" value=""/>	$=$	<input type="text" value=""/>
m ²		mm		L

Example: An average house and medium sized shed (350m²) in a region with an annual rainfall of 600mm can harvest 210,000 litres per year.

Kingspan Water & Energy Pty Ltd.

Perth

54 Collopy Road
Perth Airport WA 6105

Deniliquin Warehouse/Depot

Lot 22 Wakool Road
Deniliquin NSW 2710

Sydney

3 Herbert Place
Smithfield NSW 2164

Melbourne

55 Ricky Way
Epping VIC 3076

Brisbane

Unit 2/59 Link Drive
Yatala QLD 4132

1800 632 410



We take every care to ensure that the information in this document is accurate at the point of publication. Specification may vary (within a small parameter) due to manufacturing process variations or environmental conditions. All images are for illustration purposes only and should not be taken as binding. The actual product may vary, and specification/ dimensions/ colour/ other attributes may differ.

To ensure you are viewing the most recent and accurate product information, please visit this link: <https://www.kingspanwatertanks.com.au/rural-tanks-brochure>

©Kingspan and the Lion Device are Registered Trademarks of the Kingspan Group plc in the UK, Ireland and other countries. All rights reserved.

Registered Office: Kingspan Water & Energy Pty Limited, 3 Herbert Place, Smithfield, NSW 2164

Version 10 | June 2023

